

EU PRICE LIST 2023_{V2}

CONTENTS



TH200 TINE HARROW 14



FM120 FLAIL MOWER



MODEL	DESCRIPTION	RETAIL
FM120	Standard Specification: - 1.2m Cut - 21hp Honda V Twin - Electric Start - 22x11x8" Tyres - Steel Y Flails - Centrifugal Clutch	€5500
FM120 PRO	Upgrade to Pro Spec to include: - 25hp Honda Fuel Injected V Twin - Hardened Hammer Flails - Double Fly Weight Clutch - Oil Cooled	€6250
	AVAILABLE OPTIONS	
+BB	Breaker Bar to deflect vegetation such as reeds, rushes etc	+€130
+TA	Twin axle setup for rough terrain and reduced ground pressure	+€650
+CB	Cutter bar to increase mulching and decrease chop size	+€130
+JW	Jockey Wheel - recommended for wheels trailing	+€90
	COMMODITY CODE: 843320100	0

FM150 FLAIL MOWER



MODEL	DESCRIPTION	RETAIL
FM150	Standard Specification: - 1.5m Cut - 21hp Honda V Twin - Electric Start - 22x11x8" Tyres - Steel Y Flails - Centrifugal Clutch	€5700
FM150 PRO	Upgrade to Pro Spec to include: - 25hp Honda Fuel Injected V Twin - Hardened Hammer Flails - Double Fly Weight Clutch - Oil Cooled	€6450
	AVAILABLE OPTIONS	
+BB	Breaker Bar to deflect vegetation such as reeds, rushes etc	+€130
+TA	Twin axle setup for rough terrain and reduced ground pressure	+€650
+CB	Cutter bar to increase mulching and decrease chop size	+€130
+JW	Jockey Wheel - recommended for wheels trailing	+€90
COMMODITY CODE: 8433201000		

CFM COMPACT FLAIL



MODEL	DESCRIPTION	RETAIL
CFM150	Standard Specification: - 1.5m Cut - 370kg - 25-50hp Rating - 22 Hammer Flails - 0-350mm Hydraulic Offset - 25-100mm Cutting Height - Suitable for CAT 1 & 2 Hitches - 2200 RPM Rotor Speed - Triple B Belt Drive - Rear Roller Inclusive	€3750
CFM180	Standard Specification: - 1.8m Cut - 400kg - 25-50hp Rating - 28 Hammer Flails - 0-350mm Hydraulic Offset - 25-100mm Cutting Height - Suitable for CAT 1 & 2 Hitches - 2200 RPM Rotor Speed - Triple B Belt Drive - Rear Roller Inclusive	€4000
COMMODITY CODE: 8433201000		

RM ROTARY MOWERS



MODEL	DESCRIPTION	RETAIL
RM120	Standard Specification: - 1.2m Cut - 13hp Honda Engine - Recoil Start - Triple Rotor - 19x7x8" Tyres	€3450
RM150	Standard Specification: - 1.5m Cut - 13hp Honda Engine - Recoil Start - Triple Rotor - 19x7x8" Tyres	€3650
AVAILABLE OPTIONS		
+ES	Electric Start	+€550
COMMODITY CODE: 8433201000		

TS600 ATV STRIMMER

MODEL	DESCRIPTION	RETAIL
TS600	Standard Specification: - 735mm Cutting Width - 50-250mm Cutting Height - 13hp Honda Engine - Recoil Start - Offset draw bar - Twin 600mm Cutting Heads - 4.5mm diameter quick change plastic brush-cutter blades - 16 x 6.54 R8" Tyres	€3950
AVAILABLE OPTIONS		
+ES	Electric Start	+€550
COMMODITY CODE: 8433201000		

W240 WEED WIPER



MODEL	DESCRIPTION	RETAIL
W240	Standard Specification: - 2.4m Working width - Electric Drive - 60L Mounted Tank - Spot Lance - Electronic Controls - 19x7x8" Wheels - Carpet Applicator	€3100
	AVAILABLE OPTIONS	
+BR	Upgrade applicator from carpet to brush for a more precise application	+€950
+CA	Additional control box c/w mounting plate & wiring for additional vehicle	+€400
	COMMODITY CODE: 842449100	00

PC SERIES COLLECTOR



MODEL	DESCRIPTION	RETAIL
PC120	Standard Specification: - 1.2m working width - 6.5hp Honda Engine - Electric Start - 550L (approx) hopper - Electric hopper emptying - 19x7x8" Wheels - Adjustable front tine bar - Centrifugal clutch - 4 Rows of High Quality Brushes - Control Box	€5750
PC150	Standard Specification: - 1.5m working width - 6.5hp Honda Engine - Electric Start - 700L (approx) hopper - Electric hopper emptying - 19x7x8" Wheels - Adjustable front tine bar - Centrifugal clutch - 4 Rows of High Quality Brushes - Control Box	€6050
	AVAILABLE OPTIONS	
+RT	Remote throttle for use behind a Quad Bike	+€70
COMMODITY CODE: 8433520000		



MODEL	DESCRIPTION	RETAIL
PC120E	Standard Specification: - 1.2m working width - eGX Electric Honda Engine - Battery Powered (PowerPack Included) - Fast Charger - 550L (approx) hopper - Manual Winch - 19x7x8" Wheels - Adjustable front tine bar - 4 Rows of High Quality Brushes	€7150
	AVAILABLE OPTIONS	
+AB	Additional Battery	+€1550
COMMODITY CODE: 8433520000		

MG250 ARENA LEVELLER

MODEL	DESCRIPTION	RETAIL
MG250	Standard Specification: - 2.3m Working Width - Hot Dip Galvanised - 22x11x8" Tyres - 14 Spring Tines - Rear Consolidation Roller for wax and fibre stabilised surfaces	€2450
AVAILABLE OPTIONS		
+3P	3 Point Linkage Mounted Version	+€250
COMMODITY CODE: 8432291000		



MODEL	DESCRIPTION	RETAIL
AH200	Standard Specification: - 2m Working Width - Heavy Duty Steel Frame - 19x7x8" Tyres - 40 Spring Tines - 12v Lifting Actuator - 3 position tine adjustment - Rear Consolidation Roller - 6 Front Mounted 'S' Tines	€3280
COMMODITY CODE: 8432291000		

TH200 TINE HARROW



MODEL	DESCRIPTION	RETAIL
TH200	Standard Specification: - 2m Working Width - Heavy Duty Steel Frame - 19x7x8" Tyres - 40 Spring Tines - 12v Lifting Actuator - 3 position tine adjustment	€2850
	COMMODITY CODE: 8432291000	

FR150 FIELD ROLLER



MODEL	DESCRIPTION	RETAIL	
FR150	Standard Specification: - 1.5m working width - Empty Weight: 205kg - Filled Weight: 500kg - 50mm Ball Coupling - Powder Coated Finish	€1250	
	AVAILABLE OPTIONS		
+PH	Additional Pin Hitch	+€60	
COMMODITY CODE: 8432800000			

NB: Recommended minimum quantity of 2 units - additional delivery surcharge may apply to single unit orders.

TF350 TRAILED FEEDER



MODEL	DESCRIPTION	RETAIL
TF350	Standard Specification: - 350L Capacity (approx) - Mudguards - PVC Tonneau Cover - 22x11x8" Tyres - Electronic Counter	€2675
	AVAILABLE OPTIONS	
+OT	25x13x9" oversize tyres in place of standard 22x11x8"	+€240
+TA	Twin axle in place of standard axles, c/w mudguards	+€780
+ES	Extension sides to increase capacity by 250L (approx)	+€160
+NB	Nudge Bar to deflect livestock	+€110
+RL	Road IVA Legal Version, LED Lights, 20.5x8x10" tyres & suspension axles.	N/A
+CA	Additional Control Box incl. wiring	+€400
	COMMODITY CODE: 842389200	00

MF350 MOUNTED FEEDER

MODEL	DESCRIPTION	RETAIL
MF350	Standard Specification: - Designed for UTV Bed Mounting - 350L Capacity (approx) - PVC Tonneau Cover - Electronic Counter - Adjustable Discharge Chute	€2250
	AVAILABLE OPTIONS	
+CA	Additional Control Box c/w wiring & mounting plates	+€400
+ES	Extension sides to increase capacity by 250L (approx) * Not suitable for UTVs - 4x4 only	+€160
COMMODITY CODE: 8423892000		

TGF350 GAME FEEDER



MODEL	DESCRIPTION	RETAIL
TGF350	Standard Specification: - 350L Capacity (approx) - Variable spread width - Feed Shutter - Control Box - Heavy Duty, High Torque Motor - Direct Drive - Variable Vane Spinner	€3625
	AVAILABLE OPTIONS	
+CA	Additional Control Box c/w wiring & mounting plates	+€400
+ES	Extension sides to increase capacity by 250L (approx)	+€160
+OT	25x13x9" oversize tyres in place of standard 22x11x8"	+€240
+RL	Road Legal Version c/w LED Lights, 20.5x8x10" tyres, suspension axles. Fully IVA road approved.	N/A
COMMODITY CODE: 8436809000		

MGF350 MOUNTED GAME

MODEL	DESCRIPTION	RETAIL
MGF350	Standard Specification: - 350L Capacity (approx) - Easy loading with fork lift - Variable spread width - Feed Shutter - Control Box - Heavy Duty, High Torque Motor - Direct Drive - Variable Vane Spinner - Fits all popular UTVs	€3125
	AVAILABLE OPTIONS	
+CA	Additional Control Box c/w wiring & mounting plates	+€400
+ES	Extension sides to increase capacity by 250L (approx) * Not suitable for UTVs - 4x4 only	+€160
COMMODITY CODE: 8436809000		

ST150 OFF ROAD TRAILER



MODEL	DESCRIPTION	RETAIL
ST150	Standard Specification: - 1.53m x 1.02m (5' x 3'3") internal dimensions - Solid folded steel sides with laser cut perforations - Ramp tailgate with integral door - 22x11x8" Tyres - Swivel Drawbar - Aluminium Tread-plate Floor	€1450
	AVAILABLE OPTIONS	
+MG	Mudguards (Standard Wheels Only)	+€160
+LP	Lamb Partition	+€90
+OT	25x13x9" Oversize tyres	+€240
COMMODITY CODE: 8430690000		



MODEL	DESCRIPTION	RETAIL
LT150	Standard Specification: - L 1.54m x W 1.02m x H 0.47m (5' x 3'3") internal dimensions - Solid folded steel sides - Drop Tailgate - 22x11x8" Tyres - Swivel Drawbar - Fully Galvanised - Aluminium Tread-plate Floor	€1350
	AVAILABLE OPTIONS	
+MG	Mudguards (Standard Wheels Only)	+€160
+RT	Ramp Tailgate	+€90
+OT	25x13x9" Oversize tyres	+€240
COMMODITY CODE: 8430690000		

NB: Recommended minimum quantity of 2 units - additional delivery surcharge may apply to single unit orders.

DT100 TIPPING TRAILER



MODEL	DESCRIPTION	RETAIL
DT100	Standard Specification: - Hydraulic Power Pack - On-board Battery - Galvanised Finish - Auto Latching/Unlatching Tailgate - Max Weight (Laden) 1400kg - Volume (heaped) 1.7M^3 - Pump Capacity 4.5 L @ 160 Bar - Tipping Angle of 50° - 4 x large 22x11x8" tyres	€3800
DTC100	As above with: - Hydraulic Power Pack Removed For use with Compact Tractors - Long reach hoses	€3500
	AVAILABLE OPTIONS	
+LK	Lighting Kit (Not for highway use)	+€250
+WR	Wireless Remote Kit	+€210
	COMMODITY CODE: 843069000	00

FT100 FLAT BED TRAILER



MODEL	DESCRIPTION	RETAIL
FT100	Standard Specification: - Hydraulic Power Pack - On-board Battery - Galvanised Finish - Drop down & Removable Tailgate & Sides - Integrated Steel Floor - Max Weight (Laden) 1400kg - Volume (heaped) 1.7M^3 - Pump Capacity 4.5 L @ 160 Bar - Tipping Angle of 50° - 4 x large 22x11x8" tyres	€4100
FTC100	As above with: - Hydraulic Power Pack Removed For use with Compact Tractors - Long reach hoses	€3800
	AVAILABLE OPTIONS	
+LK	Lighting Kit (Not for highway use)	+€250
+WR	Wireless Remote Kit	+€210
	COMMODITY CODE: 843069000	00

BT500 BALETRANSPORTER

MODEL	DESCRIPTION	RETAIL
BT500	Standard Specification: - Twin Pivoting Axle - Electric Winch - Wireless Remote - 1.5m (5') Max Bale Diameter - 900kg Max Bale Weight - Galvanised - Foot operated release	€2750
AVAILABLE OPTIONS		
+OB	On board battery option for conversion into self powered machine.	+€300
COMMODITY CODE: 8433300000		

WHY CHOOSE CHAPMAN?

Founded in 2010, we're one of the newer manufacturers in the machinery world. We often get asked by potential customers why we think our machinery is better than the existing providers, so here are a few reasons why we're great to deal with.



2 YEAR WARRANTY

To get to number 1 we strive to produce high quality machinery, and stand by it with an industry leading 2 year warranty



MANUFACTURED IN GREAT BRITAIN

We are certified Made In Britain members and all of our products are proudly manufactured and hand built at our base in Devon, UK.



WE INNOVATE

We proudly design each and every one of our machines to feature innovative, unique features, to give you the best user experience.

PARTS



Need a spare part? We can supply spare parts for all Chapman machines, many available from stock ready for immediate dispatch. You can find the required part number on the product parts drawing in the relevant product download section of our website www.chapman.co.uk.

You can order spare parts direct from www.chapman.co.uk/spares or via your local distributor. Alternatively, you can contact us direct on the details below during office hours of 8-5pm Mon-Thurs, 8-3.45pm Friday

E: sales@chapman.co.uk **T:** 01288 308 149

PRICES

All prices are exclusive of applicable taxes / VAT. Whilst we will endeavour to hold these prices, we reserve the right to change specification and pricing without prior notice in line with unforeseen movement in exchange rates, supplier component price rises, inward / outward tariffs etc. Delivery is included for machine orders within Mainland UK and Ireland, although some areas (for example Scottish Islands) may incur delivery surcharges. Risk passes upon delivery, title for goods remains with Chapman Machinery Ltd until such time as cleared payment is received in full. Trade pricing is given in accordance with our Dealer Sales Terms, and by purchasing parts or products at Trade Pricing you are agreeing to be bound by these terms. Breaches of these terms may result in your trade account being suspended. UK orders must be made in pound sterling unless agreed otherwise in writing by Chapman Machinery Ltd.

NOTES



Chapman Machinery Ltd, Hele Barton, Week St. Mary, Holsworthy, Devon, UK, EX22 6XR

Tel: +44(0)1288 308149 Version V2

WWW.CHAPMAN.CO.UK

sales@chapman.co.uk